




SUPPLEMENTAL CATALOG

TO SUPPLEMENT KD SPECIALTY TOOL CATALOG 89108-64 & KD HAND TOOL CATALOG 89108-65

NEW TOOLS

JULY 2003

GearRatchet™



Vortex™ sockets integrate into the GearRatchet™ handle instead of attaching to a square drive. Integrating into the handle reduces overall height and increases the torque strength.



The GearRatchet™ adapters for standard sockets and drive tools feature a quick release button.



The Vortex™ thin wall design has the same torque strength as an ordinary socket.



Overall height is reduced by as much as 50%, width by 20%.



The GearRatchet™ System has a complete line of S.A.E. and Metric sockets and accessories.



8921 - 21 Pc. Fractional / Metric Combination GearRatchet™ Set
Includes: 17 sockets
(3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 10, 11, 12, 13, 14, 15, 16, 17, 18, & 19mm)
2 - Drive Adapters (1/4" & 3/8")
1 - 3" Hole-through Extension
1 - GearRatchet™ Handle



8911 - 11 Pc. Fractional GearRatchet™ Set
Includes: 7 Sockets
(3/8", 7/16", 1/2", 9/16", 5/8", 11/16" & 3/4"),
2 - Drive Adapters (1/4" & 3/8")
1 - 3" Hole-through Extension
1 - GearRatchet™ Handle



8914 - 14 Pc. Metric GearRatchet™ Set
Includes: 10 Sockets
(10, 11, 12, 13, 14, 15, 16, 17, 18, & 19mm),
2 - Drive Adapters (1/4" & 3/8")
1 - 3" Hole-through Extension
1 - GearRatchet™ Handle

Replacement Parts

532100GR	GearRatchet™ 10mm Socket
532110GR	GearRatchet™ 11mm Socket
532120GR	GearRatchet™ 12mm Socket
532130GR	GearRatchet™ 13mm Socket
532140GR	GearRatchet™ 14mm Socket
532150GR	GearRatchet™ 15mm Socket
532160GR	GearRatchet™ 16mm Socket
532170GR	GearRatchet™ 17mm Socket
532180GR	GearRatchet™ 18mm Socket
532190GR	GearRatchet™ 19mm Socket
132120GR	GearRatchet™ 3/8" Socket
132140GR	GearRatchet™ 7/16" Socket
132140GR	GearRatchet™ 7/16" Socket
132160GR	GearRatchet™ 1/2"
132180GR	GearRatchet™ 9/16"
132200GR	GearRatchet™ 5/8"
132220GR	GearRatchet™ 11/16"
132240GR	GearRatchet™ 3/4"
235080GR	GearRatchet™ HANDLE
231061GR	1/4"DR. GearRatchet™ ADAPTER
231062GR	3/8"DR. GearRatchet™ ADAPTER
231060GR	GearRatchet™ PASS-THROUGH EXTENSION 3"

*Consumer rebates available for each set throughout 2003

3680 - GearWrench™ Serpentine Belt Tool

Combines the patented innovation of GearWrench™ with the requirements of the Serpentine Belt removal tool.


- Allows for unlimited access to Serpentine pulley tension arms with added attachments for unlimited coverage.
- Works on USA and Import cars including Volvo 3/4" square drive requirements.
- Kit comes in compact blow mold case for easy storage.

Replacement Parts

3680-71	Long Bar
3680-72	Special GearWrench™
3680-73	3/8" Adapter
3680-74	1/2" Adapter
3680-75	3/4" Adapter
3680-85	6pt 13mm skt
3680-86	6pt 14mm skt
3680-77	6pt 15mm skt
3680-78	6pt 16mm skt
3680-79	6pt 17mm skt
3680-80	6pt 18mm skt
3680-84	6pt 19mm skt
3680-81	13mm Crows foot
3680-82	14mm Crows foot
3680-83	15mm Crows foot



GEARWRENCH™



3679 - Harmonic Balancer Installer

Installs Drive Pulleys on Harmonic Balancers



- Complete range of adapters
- Comes with thrust bearing for ease of use

Item No.	Size
367971	14mm x 1.5
367972	16mm x 2.0
367973	1/2 x 20
367974	3/4 x 16
367975	5/8 x 18
367976	7/16 x 20
367977	9/16 x 18
367978	12mm x 1.5
367980	Center Screw
367981	Bushing & Washer Kit



3701 - The Power Bar


The new KD "Power Bar" goes where Impact Guns don't. This tool is specifically designed for removal of tough harmonic balancer holding nuts that are rusted or held with locking compounds. A breaker bar will not work since there is a need to hold the crankshaft in place while the nut is removed. The Power Bar solves that problem by delivering a quick impact at up to 600 ft/lbs of force at one time to break the fastener free. The same feature works in other hard to reach fasteners under cars, lug nuts or other pulley holder bolts.



External Engine Tools



- Cleans and rethreads sparkplug ports from the inside out.
- Uses the good threads at the base of the port.
- Reduced dirt and metal from being driven into the cylinder head.
- Use light grease on the end to trap filings and keep tool easy to use.



3688 - Back-Tap
10 mm Internal Thread Chaser



3689 - Back-Tap
12 mm Internal Thread Chaser



3690 - Back-Tap
18 mm Spark Plug Rethread Tool for 02



3691 - Back-Tap
10 & 12 mm Special 2 pc Import vehicle set



3545 - Back-Tap
14 mm Spark Plug Rethread Tool

3700 - Complete Cooling System and Cap Test Kit

KD has combined the benefits of the 3582 Cooling System check kit with the new 3682 radiator cap test kit to create a complete offering. This cooling system check kit features the universal bladder for 100% coverage for USA and Import cars. Also included are radiator cap adapters in 8 sizes for virtually complete coverage for all radiator caps, foreign and domestic. The combined kit comes in a blow mold case and is an exceptional value for the service technician.



3582 - Cooling System Check Kit

- The Only Tool With Universal Bladder Adapter
- Check for leaks under pressure
- Patented "Bladder System" allows for universal fit to most USA and Import vehicles. Saves \$100's over other tools.
- Universal Adapter fits all Vehicles including those with reservoir tanks



Replacement Part

3582-71 Replacement Bladder

3682 - Radiator Cap Testers

Complete assortment of cap adapters for almost all US and import cars.

- Use in conjunction with 3582 Cooling System Check kit
- Unique double ended design allows 8 caps to be tested with only 4 adapters
- Allows cap relief pressure and seal condition to be tested

Replacement Parts

3682-71 Std GM, Ford, & Chrysler
 3682-72 Japanese and VW/Audi
 3682-73 Japanese and Audi late
 3682-74 Late model Japanese



Cooling Systems



3683 - Test Vac, Vacuum Pump

The new KD "Test Vac" vacuum pump features the best in quality and construction. Made with a Polished cast aluminum body and all brass internal components, the new Test Vac is durable and resistant to shop corrosion. Kit comes with a complete offering of adapters for vacuum and brake bleeding tasks. Easy to read dial indicates vacuum levels. Kit comes in blow mold case.



Brake & Wheel Tools



3678 - Wheel Weight Install Tool

Avoids the pain and suffering of installing small...even large wheel weights

- Magnet holds small weights in position and keeps fingers from being pinched
- Special Tip molds clip into position
- Helps avoid damage to rims caused from glancing hammer blows

General Purpose Tools



3703 - Hog Ring Plier Straight

Used for upholstery work on most all Domestic and Foreign cars.

- Specially made to grip and mold Hog Rings for closure.
- Spring loaded to hold hog ring in jaws during use.
- Cushion Grip Handle.



3704 - Hog Ring Plier 45 Degree

Used for upholstery work on most all Domestic and Foreign cars.

- 45 degree for added access
- Specially made to grip and mold Hog Rings for closure.
- Spring loaded to hold hog ring in jaws during use.
- Cushion Grip Handle.



3702 - Hog Ring Plier 2 Pc Set

Used for upholstery work on most all Domestic and Foreign cars.

- 45 Degree Hog Ring Plier
- Straight Hog Ring Plier
- For installation of "Hog Ring" fasteners
- Specially made to grip and mold Hog Rings for closure.
- Spring loaded to hold hog ring in jaws during use.
- Cushion Grip Handle.




3537 - 5 pc Twist-Out Socket Set

Twist-Out Open Stock

Part No.	SAE	Metric
3538	5/16"	8mm
3539	7/16"	10mm
3540	1/2"	12mm
3541	9/16"	14mm
3542	5/8"	15mm



Sizes: 5/16" to 5/8"
8mm 15mm



3642 - 7 pc Twist-Out Socket Set in Box

Twist-Out Open Stock

Part No.	SAE	Metric
3638	1/4"	6mm
3538	5/16"	8mm
3640	3/8"	9mm
3539	7/16"	10mm
3540	1/2"	12mm
3541	9/16"	14mm
3542	5/8"	15mm



Sizes: 1/4" to 5/8"
6mm 15mm



3630 - 5 pc Twist-Out Lug Nut Set

Twist-Out Open Stock

Part No.	SAE	Metric
3631	11/16"	17mm
3632	3/4"	19mm
3633	13/16"	21mm
3634	7/8"	22mm
3635	15/16"	24mm



Sizes: 11/16" to 5/16"
17mm 24mm



General Purpose Tools



3636 - 5 pc Twist-Out Set in Box



Sizes: 5/16" to 5/8"
8mm 15mm

Twist-Out Open Stock

Part No.	SAE	Metric
3538	5/16"	8mm
3539	7/16"	10mm
3540	1/2"	12mm
3541	9/16"	14mm
3542	5/8"	15mm



3645 - 12 pc Twist-Out Master Set



Sizes: 1/4" to 15/16"
6mm 24mm

Twist-Out Open Stock

Part No.	SAE	Metric
3638	1/4"	6mm
3538	5/16"	8mm
3640	3/8"	9mm
3539	7/16"	10mm
3540	1/2"	12mm
3541	9/16"	14mm
3542	5/8"	15mm
3631	11/16"	17mm
3632	3/4"	19mm
3633	13/16"	21mm
3634	7/8"	22mm
3635	15/16"	24mm



3692- 7 pc Deep Twist-Out Master Set



Sizes: 1/4" to 5/8"
6mm 15mm

Twist-Out Open Stock

Part No.	SAE	Metric
3693	1/4"	6mm
3694	5/16"	8mm
3695	3/8"	9mm
3696	7/16"	10mm
3697	1/2"	12mm
3698	9/16"	14mm
3699	5/8"	15mm



3544 - 10 pc Internal / External Twist Out Set



Item No.	SAE	Metric	Drive Size
3538	5/16"	8mm	3/8"
3539	7/16"	10mm	3/8"
3540	1/2"	12mm	3/8"
3541	9/16"	14mm	1/2"
3542	5/8"	15mm	1/2"

Item No.	Broken Part	Drill Size
3671	5/16"	5/32"
3672	7/16"	7/32"
3673	1/2"	1/4"
3674	9/16"	9/32"
3675	5/8"	5/16"



Outside Micrometers

3734 - 4pc Outside Micrometer Set

Features:

- Industrial quality, Swiss style , with ratchet stop
- Enamel finish
- Carbide tipped - Ratchet Stop - Lock lever
- Each piece fitted in a box with instructions and zero adjusting key

Sizes:

0-1" (.0001" Grad.) 3730

1"-2" (.0001" Grad.) 3731

2"-3" (.0001" Grad.) 3732

3"-4" (.0001" Grad.) 3733



3735 - Brake Rotor Micrometer

Features:

- Industrial quality, Swiss style, with ratchet stop
- 0.3-1.3" Carbide Pointed tip
- 3-1/2" Deep Throat Deep Throat
- Fitted in a storage box with instructions and zero adjusting key
- Fitted in a plastic box



Digital - Outside Micrometers

3740 - Digital Outside Micrometer

Features:

- 0-1", (0-25mm) Grad. .00005" , .001mm
- Carbide faces
- Auto power on/off
- Seven Key Functions
- Metric/Inch system interchange at any position
- Zero setting at any position
- Relative and absolute measurement interchange at any position.
- Display predetermination function
- Data holding function
- Fitted in a plastic box



Measuring Tools



3745 - Electronic Digital Rotor Micrometer

Outside Micrometer:

Features:

- Manual power on/off
- 0-5", (0-125mm) Grad. .0005", .01mm
- Metric/Inch system interchange at any position
- Zero setting at any position
- With data output interface
- Measures thickness of inside grooves
- Fitted in a plastic box



Slide Calipers

3750 - 6" Dial Micrometer - SAE

Features:

- Stainless steel fully hardened frame, satin chrome finish
- Reading Single revolution dial graduated .001
- Four measurements, inside, outside, depth & step
- Covered rack - thumb roll - lock screw
- Measuring faces hardened, ground and lapped
- Fitted in a plastic box



3751 - Double Scale SAE & Metric Dial Caliper

Features:

- Dial graduated with two scales, black scale inch, red scale metric
- Reading Single revolution dial graduated .001 (.02mm)
- 0-6" (0-150mm)
- Dial with two needles for direct inch or metric reading off the dial face
- Beam with double scale inch and metric for quick approximate reading
- Fitted in a plastic box



3752 - Carbon Fiber Composites Dial Caliper

Features:

- 6" capacity
- Range 1/01 Revolution

Digital – Slide Calipers

3756 - 6" Digital Caliper with Large LCD window

Features:

LCD displays up to 5 digits

- Glass window over LCD is clearer and does not wear out
- Color coded Off, On/Zero and Inch/mm
- Stainless steel frame with hardened jaws, graduated scale and thumb roll
- 4 way measurement, inside, outside, depth & step
- Resolution / repeatability .0005" x 0.01mm
- Data output interface
- Fitted in a plastic box



3770 - Digital Brake Drum Gage 3 to 16.5"

Same features as above digital caliper.

Special arms measure inside diameter of brake drums.

3754 - 4" Digital Caliper

Features:

Color coded Off, On/Zero and Inch/mm

- Glass window over LCD is clearer and does not wear out
- Stainless steel frame with hardened jaws, graduated scale
- 4 way measurement, inside, outside, depth & step
- Resolution / repeatability .0005" x 0.01mm
- Data output interface
- Fitted in a plastic box



3757 - Carbon Fiber Composites Digital Caliper

Features:

- Manual power on/off
- With data output interface
- .001", .1mm



Measuring Tool Kits

3753 - 3pc Machinist Tool Kit

Features:

Stainless steel fully hardened frame, satin chrome finish

- 6" Single revolution dial caliper graduated .001
- Measuring faces hardened, ground and lapped
- Outside Mic. with ratchet stop 0-1" (.0001 Grad)
- Carbide tipped - Ratchet Stop - Lock lever
- 6" stainless rule
- Fitted in a plastic box



Measuring Tools



3758 - 2pc Digital Machinist Tool Kit

Features:

- Glass window over LCD is clearer and does not wear out
- 6" (150mm) Caliper with Color coded Off, On/Zero and Inch/mm
- Resolution / repeatability .0005" x 0.01mm
- Data output interface
- Outside Mic. 0-1", (0-25mm) Grad. .00005", .001mm
- Carbide faces
- Auto power on/off, seven Key Functions
- Fitted in plastic case



Rules and Pocket Calipers



3773 - 6" Stainless Stiff Rule

Features:


- Stainless steel stiff blade
- One side - 32nd and 64th
- One side - 1mm. .5mm



2522 - 6" Pocket Stainless steel rule

Features:

- Stainless steel flexible blade
- One side - 1/32 One side - 1mm



2527 - Pocket Caliper with Leather Pouch

Features:

- 4" Stainless steel
- One side - 1/32 One side - 1mm.

Dial Indicator Sets

3763 - Rotor/Ball Joint Set with locking Pliers

Features:

- Measure wear and runout on Brakes and tires
- 2-1/4 Dia. Dial face
- Range: 0- 1.3 Graduations: .001
- Special Locking plier accessory
- Flexible extension
- Case



3760 - Dial Indicator Set with small stand

Features:

- English dial gauge Range: 0-1.3 Graduations: .001
- 2-1/4 Dia. face
- Universal dovetail clamp for Dial Test Indicators
- Grips flat or curved surfaces
- Swivel adapter to mount all AGD Dial Indicators with lug backs



3761 - Dial Indicator Set with on/off Stand

Features:

- English dial gauge Range: 0-1.3 Graduations: .001
- .001 Centered V-magnet for strongest grip on round or flat surfaces
- Powerful 130 lbs pull
- Two magnetic mounting surfaces: bottom and back
- Swivel adapter to mount all AGD Dial Indicators with lug backs
- Universal dovetail clamp for Dial Test Indicators
- On / Off switch
- Center rod 1/2" diameter x 7" high



Measuring Tools



3762 - Dial Indicator set with Digital Dial Indicator

Features:

- Zero setting at any position, Metric/Inch system
- Interchange at any position, Data output interface, Data holding function
- Fast tracing of minimum value or maximum value during measurements
- Auto power on/off
- Comes with deluxe on/off stand



Dial Indicators Replacement Parts

3766 - Dial Indicator

Features:

- 2-1/4 face
- 3/8 Dia. Shank
- English dial gauge Range: 0-1.3
- Graduations: .001



3767 - Digital Dial Indicator

Features:

- Zero setting at any position
- Metric/Inch system
- Interchange at any position
- Data output interface
- Data holding function
- Fast tracing of minimum value or maximum value during measurements
- Auto power on/off



3765 - On/Off Stand

Features:

- Powerful 130 lbs pull
- Centered V-magnet for strongest grip on round or flat surfaces
- Two magnetic mounting surfaces: bottom and back
- Swivel adapter to mount all AGD Dial Indicators with lug backs
- Universal dovetail clamp for Dial Test Indicators
- On / Off switch
- Center rod 1/2" diameter x 7" high

3764 - Mini Stand

Features:

- Grips flat or curved surfaces
- Swivel adapter to mount all AGD Dial Indicators with lug backs
- Universal dovetail clamp for Dial Test Indicators



Depth Micrometers, and Bore Gauges

3746 - Depth Micrometer

Features:

- 0-3" Range
- 4" wide base
- Satin Chrome finish
- Fitted case with rods



3769 - Cylinder Bore Gauge

Features:

- 0-6" Range
- Satin Chrome finish
- Fitted case with rods



3771 - 6pc Telescoping Gauge Set

Features:

- Measure slot or recess from 5/16" – 6"
- Plunger expands in hole to be measured
- Knurl locks the setting for sizing with micrometer or caliper
- Satin chrome finish
- In plastic folding pouch



Service Kits

Service Kits

The Tools to Make Tough Jobs Easy!

We've Got the Tools to Make Tough Jobs Easy!
Sold as kits or can be used for loaner tool programs.

Each Kit comes complete:

- Most tools needed for any projects that are conveniently stored in a fitted storage case. No loose parts to get lost. You know you have what you need.
- Work instructions are available with each kit to help you understand safe proper tool use.
- Instructions are also available online at : www.kd-tools.com
- All instructions are also available in Spanish.
- In addition to kit instructions, your Auto Parts Store will provide a check list of other tools if needed to assist in proper safe repair.
- Always wear proper eye protection when working with tools

Ask your counter person to get started!

Making tough jobs easy is even easier with the New Service Kit program.

These kits are designed to provide all the tools required for today and yesterdays most popular repair jobs. With the new loaner program, you can purchase your repair parts and get the tools free to do the job right. Simply purchase the parts you need and put down a deposit on the tool kit that is right for you.

Try-it...buy It option

If you like the tool...keep it for the next job, your deposit is the purchase price, It's that easy.




62323 - Brake Service Kit

Drum brake spring pliers, Disc brake piston tools, Pad separator, Hex & Torx sockets.



62342 - Pulley Puller Service Kit

This special kit services a wide range of GM, Ford & Chrysler water pump, Power Steering and alternator pumps with pulleys that are pressed into place.



62326 - Suspension Service Kit

Ball Joint and Tie rod separators. Pitman arm pullers. Tie rod adjusting tool.



62325 - Spindle Nut Service Kit

Four Wheel drive sizes for Ford, Chevy, GMC, Dodge trucks and others.



62324 - Axle Nut Service Kit

Kit contains most popular spindle nut sizes 30, 32, 34, 36mm.

62337 - Double Flaring Service Kit

Creates double flare on brake lines and other applications.



62327 - Piston/Engine Service Kit

Piston ring and cylinder service, includes compression tester.



62330 - Serpentine Belt Service Kit

Contains a full range of adapters to reach and release tension arm to remove and install serpentine belts.



62333 - Exhaust Service Kit

Tools to remove, cut and shape exhaust and tail pipes.



62334 - Primer Service Kit

Adapters to manually move the oil pump to disperse oil prior.



Service Kits




62339 - 5 Ton Reversible Puller Service Kit

5 ton pullers offer 2 or 3 jaw options with reversible feature for internal or external pulling requirements.



62340 - 7 Ton Reversible Puller Service Kit

7 ton pullers offer 2 or 3 jaw options with reversible feature for internal or external pulling requirements.




62328 - MacPherson Strut Compressor Service Kit

Needed for removal of springs and shock absorbers.



62336 - Ball Joint and U Joint Service Kit

Kit includes all tools needed for u joint/ball joint service on cars and light trucks. Can be used in conjunction with Kit 62326 if needed.



62341 - Slide Hammer Service Kit

Includes 5 lb slide hammer for easy removal of wheel hubs and other applications where the added force is needed. Includes reversible 2/3 jaw puller, Hub pullers.



62343 - Micrometer Torque Wrench Service Kit

Torque uses 1/2 drive for torque ranges up to 250 ft/lbs. Audible click when proper torque is reached.

62329 - Coil Spring Compressor Service Kit

For wire springs with Diameter of 5-5/8 or less.



62331 - Fan Clutch Service Kit

Includes Universal holding tool to retain fan clutch while removing hub nut.



62332 - Harmonic Balancer Service Kit

Puller removes balancers, pulleys, and gears with tapped holes. A floating swivel prevents damage to the shaft end. Four slots in the yoke allow for 2- or 3-hole applications. Tool bolts to balancer with center screw on the end of the crankshaft. Tighten while tapping on the screw head to remove balancer. Puller includes 3/8-24 UNF, 5/16-18 UNC, 3/8-16 UNC and 10mm x 1.5 screws for most American and imported cars.



62338 - Steering Wheel Puller Service Kit

Kit includes Lock Plate remover for GM, Ford vehicles and steering wheel puller for most cars with pressed on and bolted steering wheels.



62335 - Quick Disconnect Service Kit

Includes coupling tools to disconnect both Fuel line and Air conditioning lines with quick disconnects. Special sizes for easy access.



KD Hand Tool Sets



91601 - 82 Pc Mechanics Hand Tool Set

1/4" DRIVE

- (10) 6 Point SAE Skts (5/32" - 1/2")
- (10) 6 Point Met Skts (4mm - 13mm)
- (1) Round Head Ratchet
- (1) 3" Extension

3/8" DRIVE

- (8) 12 Point SAE Skts (5/16" - 3/4")
- (10) 12 Point Met Skts (10mm - 19 mm)
- (1) Round Head Ratchet
- (1) 3" Extension

OTHER TOOLS

- 9 pc Met Hex Key Set
- 11 pc SAE Hex Key Set
- 9 pc Met Long Arm Hex Key Set
- 1 pc SAE Long Arm Hex Key Set



91602 - 113 Pc Mechanics Hand Tool Set

1/4" DRIVE

- (10) 6 Point SAE Skts (5/32" - 1/2")
- (10) 6 Point Met Skts (4 - 13mm)
- (8) 6 Point Deep SAE Skts (3/16" - 7/16")
- (7) 6 Point Deep Met Skts (4 - 10mm)
- (1) Round Head Ratchet
- (1) 3" Extension

3/8" DRIVE

- (7) 6 Point SAE Skts (3/8" - 3/4")
- (7) 6 Point Deep SAE Skts (3/8" - 3/4")
- (10) 6 Point Met Skts (10 - 19mm)
- (10) 6 Point Deep Met Skts (10 - 19mm)
- (1) Round Head Ratchet
- (1) 3" Extension

OTHER TOOLS

- 9 pc Met Hex Key Set
- 11 pc SAE Hex Key Set
- 9 pc Met Long Arm Hex Key Set
- 11 pc SAE Long Arm Hex Key Set



91603 - 138 Pc Mechanics Hand Tool Set

1/4" DRIVE

- (10) 6 Point SAE Skts (5/32" - 1/2")
- (10) 6 Point Met Skts (4mm - 13mm)
- (1) Round Head Ratchet
- (1) 3" Extension

3/8" DRIVE

- (8) 6 Point SAE Skts (5/16" - 3/4")
- (8) 12 Point SAE Skts (5/16" - 3/4")
- (10) 6 Point Met Skts (10mm - 19mm)
- (10) 12 Point Met Skts (10mm - 19mm)
- (1) Round Head Ratchet
- (1) 3" Extension

1/2" DRIVE

- (7) 12 Point SAE Skt (5/8" - 1")
- (5) 12 Point Met Skt (15 - 19mm)
- (1) Round Head Ratchet
- (1) 3" Extension

OTHER TOOLS

- 9 pc Met Hex Key Set
- 11 pc SAE Hex Key Set
- 9 pc Met Long Arm Hex Key Set
- 11 pc SAE Long Arm Hex Key Set
- 12 pc Nutdriver Bit Set
- 11 pc Screwdriver Bit Set
- (1) Magnetic Screwdriver Handle



91604 - 205 Pc Mechanics Hand Tool Set

1/4" DRIVE

- (10) 6 Point SAE Skts (5/32" - 1/2")
- (9) 6 Point Deep SAE Skts (3/16" - 1/2")
- (10) 6 Point Met Skts (4 - 13mm)
- (10) 6 Point Deep Met Skts (4 - 13mm)
- (1) Round Head Ratchet
- (1) 3" Extension
- (1) 1-1/2" Extension

3/8" DRIVE

- (10) 6 Point SAE Skts (1/4" - 13/16")
- (10) 12 Point SAE Skts (5/16" - 7/8")
- (7) 6 Point Deep SAE Skts (3/8" - 3/4")
- (13) 6 Point Met Skts (9 - 21mm)
- (12) 12 Point Met Skts (9 - 19mm, 21mm)
- (9) 6 Point Deep Met Skts (10 - 19mm)
- (1) 6 Point 5/8 Spark Plug Skt
- (1) Round Head Ratchet
- (1) 3" Extension
- (1) 6" Extension

1/2" DRIVE

- (7) 6 Point SAE Skt (5/8" - 1")
- (10) 12 Point SAE Skt (5/8" - 1-1/4")
- (8) 12 Point Met Skt (15 - 19, 21, 25, 30mm)
- (1) Round Head Ratchet
- (1) 3" Extension

OTHER TOOLS

- 9 pc Met Hex Key Set
- 11 pc SAE Hex Key Set
- 9 pc Met Long Arm Hex Key Set
- 11 pc SAE Long Arm Hex Key Set
- 12 pc Nutdriver Bit Set
- 11 pc Screwdriver Bit Set
- (1) Magnetic Screwdriver Handle
- (7) Combination Wrenches